

The person charging this material is responsible for its return to the library from which it was withdrawn on or before the **Latest Date** stamped below.

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

To renew call Telephone Center, 333-8400

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

JUL 8 1980

OCT 26 1987

OCT 20 1987


NOV 09 1989

OCT 22 1989

DEC 1 1989  
JAN 4 1990

UNIVERSITY  
ILLINOIS LIBRARY  
AT URBANA-CHAMPAIGN

L161—O-1096



Digitized by the Internet Archive  
in 2017 with funding from  
University of Illinois Urbana-Champaign Alternates

Compliments of  
Wm. R. Reinick

REPRINTED FROM AMERICAN JOURNAL OF PHARMACY, DECEMBER, 1910.

## INSECTS DESTRUCTIVE TO BOOKS.\*

BY WILLIAM R. REINICK.

Chief of the Department of Public Documents, The Free Library of  
Philadelphia.

Through and through the inspired leaves,  
Ye maggots, make your windings;  
But oh! respect his lordship's taste,  
And spare his golden bindings.

ROBERT BURNS.

I have been investigating the subject, "insects that destroy books," for a number of years; and this paper is simply a summary of a few of the facts that I have discovered and collected. No attempt has been made to make it complete, either as to species of insects, or subject matter under any particular group. These, in a complete form, with the results of the further experiments now being made to prove the theory advanced, will be published later.

Various insects have been named as the true bookworm. The insect known as the cigarette beetle, *Sitodrepa panicea*, is given as the true bookworm by Prof. L. O. Howard, United States Entomologist; but if the name of "bookworm" is given to the insect which causes the greatest destruction, then this species will have to be placed quite a distance down in the list. Personally, I will not try at the present time to settle the question as to the species which is to be given this doubtful honor.

That a knowledge of the fact that books are destroyed by insects is not of recent acquisition may be gathered from the writings of the ancients.

The earliest reference, according to Austen,<sup>1</sup> was rescued from oblivion by the lad Salmasius, in 1606, when he discovered the manuscripts of the anthology of Cephalaus, in the libraries of the Counts Palatine, at Heidelberg. Among the fragments in this collection is one attributed to Evenus, the sophist-poet of Paros, who wrote about 450 B.C.

Aristotle speaks of a "little scorpion-like creature found in

---

\* Copyrighted by the author, 1910.

<sup>1</sup> Bookworms in fact and fancy, *Popular Science Monthly*, 1899, vol. 55.

books," which was evidently a species of *Acarina* or pseudoscorpions. Horace and Ovid also speak of the bookworm. Pliny, in his "Natural History," has very little to say upon the subject. Martial, who lived in the first, and Lucian, in the second century, A.D., speak of the bookworm, and many other writers mention them; but it was not until 1665, when Hook in his "Micographia," published an account and gave an illustration of the insect, that entomologists were enabled to determine with any accuracy the insect that was named as the cause of the destruction of books. It is impossible from Hook's description to tell what species was meant; but the illustration accompanying the description shows that it must have been a species of *Thysanura* or *Collembola*, commonly known as the silver-fish and spring-tails.

It has been stated that more books and papers are destroyed by small forms of life in one year than by fire and water combined; and, from the facts given by various writers, and the statements made to me in letters by many librarians and others, especially where the libraries are located in the warmer regions, I am positive that this statement is true. Those in charge of collections in the temperate regions, whose volumes are not as rapidly destroyed, are apt to doubt the enormous destruction of books each year by practically unseen life.

Again, that this destruction is great enough to cause alarm, is indicated by the number of prizes offered by various bodies for means to prevent this never-ceasing destruction. Prizes were offered by the "Royal Society at Göttingen" in 1774, the "International Library Congress" in 1903, etc., but as yet no satisfactory results have been obtained. I hope before long to be able to present to the world the cause of these ravages and a means of preventing them.

Those who have read articles upon the destruction of books and papers by insects must have noticed that in almost all the papers the author has simply stated that the insects were after the paste used in the binding; and most of the prizes that have been offered from time to time have the same object in view. If the paste is the object of attack, why is it that photographs, which are fastened to the cardboard by means of paste, are not eaten?

Although some of these writers have stated that the bindings were bored or gnawed, a gallery leading from an opening made on the outside towards the interior of the book; that the glazed sur-

face of the paper was eaten off; that in a few cases that portion of the page which had received the impress of the printer's ink only had been eaten, making the page look as though the letters had been cut out with a punch; and again, that a cavity had been found in the interior of the book, without showing by what means the insect was able to obtain access: not one of them, as far as I have been able to find, has reasoned upon the question that there might be other causes for these ravages of the insects upon books besides the hackneyed phrase, "that they are after the paste used in the binding, in order to obtain the starch contained in it."

Having read hundreds of articles and notes upon this subject, and having had the pleasure, from my standpoint—but not that of the librarian, of examining many hundreds of volumes of ancient and recent date of publication, with bindings made of different leathers, paper made of rag, wood, and other materials, my attention was before long attracted by the fact, that in the great majority of books examined no attempt was made by the insects to eat the paste used in the binding, and also by the many cases in which a cavity or cavities were found in the interior of the volume without showing the means by which the insects obtained access thereto.

Looking at the various ways in which books were ravaged, and knowing from my own studies and observations in entomology that the insects have wonderful instinctive powers, which in a number of cases could very easily be classed as intelligence, I have come to the conclusion that there must be other reasons besides the desire for paste, to cause these various depredations, and I have asked myself this question: "As we know that the dog and cat, when sick, look for certain herbs, grasses, and putrid animal matter, being directed by their instinct to that substance which contains the vegetable and mineral matter which is best suited for the particular ailment from which they are suffering at that particular time, may not the insect, with an instinct as great if not greater, have use for them for the same purpose?" It seems to me, that the lower we go in the scale of life, according to the classification of the systematists, the more wonderful are the instinctive faculties of the small forms of life, and that if a classification was made according to instinctive faculties, it is a question whether the ants would not outrank the animals by many degrees.

The new school of medicine, in departing from the system of the old, that is, that in which Hahnemann in following Paracelsus



claimed that certain symptoms in human beings required mineral agencies and vegetable compounds in potencies equivalent to the complaint, neglected to study the power of drugs, and results not anticipated frequently occur, caused by not using judgment in the quantity of the dose given. Those interested in finding means for destroying life that is destructive, should use the means as those advocated by Hahnemann in their researches.

Starting upon this theory which I contend will be found to be true, when biologists, physicists and entomologists have searched more deeply into the evolution of the lower forms of life, I divided the books into classes according to that portion which was damaged, and will describe some of the most important and name a few of the insects which attack that particular group.

PASTE EATERS.—Science has proved beyond doubt or question that there can be no destruction of matter, only a change of form. If there is no destruction of matter, then we have a demonstration of the theory of the worm or larva having been attracted to the paste used in the binding of the books. In the agricultural kingdom we find that rye, wheat, and the various other varieties of grain are constantly being damaged by the work of different species of insects. These insects and other small life live upon the exudations of plant life, and the human body is also giving off exudations in the form of perspiration which is also a source of nourishment to many forms of life.

We will take rye and wheat, which are principally used in paste making, as an example. The whole grain is taken to the mill, husked and ground, and prepared by various processes for the sustenance of the human family. After all the processes of the miller have been completed, it is barrelled or bagged and is ready for distribution. In the processes we find that alum has been and is still being used as a whitening agency for the different grains. The flour is taken into the factory apparently pure, clean, and free from all forms of animated life; but in a very short time, especially if it is kept in a compartment that is heated, or in a moist atmosphere, and is left standing some time before being used, life is apparently created in it, a puzzle to all, as to its origin and nature, and stranger still, the first life noticed is always worm life. In this case it is known as the "flour-worm." Mr. James Stone, a flour merchant of Philadelphia, in reply to my questions, stated that they always discovered the worms first, that they were only found in the centre

of the barrel, never near the sides, and that the loose flour laying around the floors, of which there always was a quantity, was never found to have worms in it. The lower or coarser grades which are used exclusively for paste were first damaged. The finer grades were more seldom found to be affected. This goes to prove my theory that the life was in the flour before grinding, and that it lay dormant until the proper conditions were produced, such as heat and dampness. The grinding of these grains allows the gases in the air to reach the particles which, to a large extent, were before protected by skin or husk. These gases cause a chemical change to take place, which has been little studied, and this will be found to give food for forms which were heretofore in a dormant condition. Many eggs of the smaller forms of life can hardly be seen, even with a compound microscope. The following are some of the species that may be classed as paste eaters: *Pyralis farinalis*, a moth, and *Tenebroides mauritanicus*, *Silvanus surinamensis*, *Calandra granaria*, and *Tenebrio molitor*, all beetles.

PAPER.—Paper is made from cotton, linen, hemp, rags, and waste, from chemically prepared woods, from straws, from bark without the wood, from wood not chemically prepared, and many other substances. In a great many papers, clay and other minerals are added as fillers. While we are conversant with the various processes used by paper manufacturers, yet very little attention has been given to the real character of life that dwells within the manufactured product in its primoid state. Cotton fly is used for low paper stock, and the little insect that infests the cotton boll, known as the cotton weevil, sends forth its offspring under a different form, yet with all the instincts of itself.

After the paper has passed through certain stages, but not with sufficient intensified heat to destroy the principle of existence, the species evolutionizes into another state or mode of living. In the broader conception of biological truths, ready answers are given to this profound question, *i.e.*, the origin of various forms of life, and the researcher has ready for the querist the proper foundation whereon to build the superstructure of that truth which the arcanum of nature reveals to the desires of the mind of the scientist and physicist. Too little attention has been given to the manuscript notes of scientific workers, often only a line or two of their observations upon the small forms of life. The average scientist thinking it too trivial to notice, often passes over the very observation, which

is the key to the puzzle that he has been spending years in trying to solve.

PAPER EATERS; WOOD PULP.—A species of insect, frequently found in libraries, is the *Cimex lectularius*, vulgarly known as the “chinch” or “bed-bug.” Its natural instinct leads it to wood on account of certain poisons in the form of acids contained therein, and certain nourishments which are of a poisonous character to the human being, but beneficial and necessary to insects and worm life. Where paper has been manufactured from wood pulp, containing the particular acids or poisons which the “bed-bug” requires, there you will find the insect with all its instinctive faculties. Why do they live and thrive under wall paper? Many wall papers, some of which are known to be a cause of illness to mankind, have large quantities of arsenic, cochineal, and paris green in them. This mineral compound, being changed by the continual variation of temperature going on in the room, is sufficient to change the natural character of the paper, and also the habits of the bugs, who are thus able to obtain nourishment from the back of the paper.

Among this group may be found the following beetles: *Apate capucina*, *Xestobium tessellatum*, and *Lyctus unipunctatus*.

PAPER EATERS; VEGETABLE FIBRES.—In the Aztec history many of the primitive documents were made from banana skin. These were made to receive the imprint, just the same as paper is manufactured for printing to-day. A sample of this paper was placed in a perfectly sealed case, and a scholar wishing to refer to it one day, upon going to the case containing the writing, was astonished to find that all the paper had been entirely destroyed, although the case was still impervious to any attack made from the outside. This demonstrates how long life may be prolonged, in the sense of the insects being placed away from their natural surroundings, continuing the life cycle whenever the proper conditions are given.

*Trichophaga tapetzella*, *Tinea pellionella*, *Tineola biselliella*, and *Plodia interpunctella* are a few of the moths that bore into paper in order to obtain access to the fibres.

PAPER EATERS; MINERAL FILLERS.—This group includes papers where quantities of clay and other mineral substances have been used as fillers. For an illustration we will take the character and life habits of the *Termites*, or white ants, which are in a measure destructful to material utilized in the manufacture of paper. The alluvial deposits are natural to the white ant, consequently, when



clay is used in the manufacture of paper, the instinct in the ant leads it to feed upon that which is natural to it, especially if the books have been kept in a place where it is damp. The lower organic life is, but in a measure, an evolution that is manifested in the higher and more complex forms of life. In the mountainous region of North Carolina is found a collection of people who eat large quantities of clay which is found there in abundance. These creatures, the whites being designated as "poor white trash," and the negroes as the "blue-gummed negroes," are addicted to the habit of clay eating, and nearly all are veritable living skeletons. The eyes and gums of the whites have a reddish hue, and their skins become a dirty yellow; and the gums and skins of the negroes take on a bluish hue. This clay contains arsenic, and, instead of clay eaters, they might more properly be called arsenic eaters. The supply of clay for daily use is provided with more energy and precision than food. This clay poisons the saliva exuding from the glands of the mouth, and also from the base of the teeth, and makes their bite probably poisonous.

And so we see the special laws of nature by which forms of low life live, actuated by the first principles of their instinct to return to their primitive mode of feeding; that is, the life that is generated from the botanical kingdom, much in sympathy with the facts established by Dr. Hahnemann, which verifies the principle that like attracts like.

*Monorium pharonis*, or red ants, *Termites*, or white ants, are found destroying paper that has clay in its composition. The first named is also fond of saccharine that is found in wood fibre.

PAPER EATERS; ANIMAL FIBRE, PARCHMENT.—Insects, such as roaches, which destroy parchment, are after the oils and fats which are used in their preparation; for however carefully the parchment may be prepared, there is always a certain amount of oil and grease left in it. These oils are obtained from the plants, minerals, and animals of the earth, which the roaches have always been used to; therefore, when placed in a location away from their natural food supply, their instinct compels them to seek those books which have the foods, etc., in their composition to which the roaches formerly had access. After the processes of the manufacture of the paper have been completed and it is ready for the printer, another transitional change is nigh, due to the chemicalization of the inks that are used.

Parchment is especially eaten by the roaches, *Periplaneta americana*, and *Ectobia germanica*, the crickets, *Gryllus assimilis*, and some species of *Coleoptera*, or beetles.

SKIN BINDINGS.—Bindings made of skin always have a certain amount of oily or gelatinous substances in them, even though they may seem perfectly dry to the observer, and these bindings are subject to the ravages of the insects that in their natural state go after substances containing oils and greases. Leather that is perfect in its external appearance, under degrees of dampness will expand, and under degrees of heat will contract. The oil is hidden at the bottom, and does not come to the surface until pressed out by expansion caused by dampness. The skins contain the same elements in the dead state as in the living, and the bindings will be attacked by the same forms of life that lived upon the live animals, because they can still find the mineral poisons and the alluvial substances that were part of their natural food supply. Leather bindings are also subject to the depredations of insects and worms which are partly after the oils, acids, and fats which are in the skin, as well as from the new life that has been conveyed to it by the uncleanness in preparing the leather, not including the hundreds of substances, many of them poisons, especially tannic acid, used by the tanners for tanning purposes, which are also attractive to other species of insects. And just as the animals which eat the plants containing various chemical elements thus become impregnated with acids, so will the insects living upon animals and plants be found to have acids in their compositions.

The leather is destroyed by a number of species of beetles, such as *Lasioderma serricorne*, *Attagenus piceus*, *Dermestes lardarius*, and *Anthrenus scrophulariæ*.

WOOD BINDINGS.—The beetles, *Anobium hirtum* and *Ptilinus serricornis*, are found making galleries in the wooden covers of books.

POISONS USED, MINERAL.—We have in the minerals of the earth many poisons, one of which, arsenic, is of especial interest, as it has been the established rule of the wall paper manufacturers to use it in large quantities; and this poison is one that attracts various species of insects on account of its medicinal value. Just as human beings take poisons in proportionate ratio to the needs of their systems, and especially arsenic, for their health, so do the insects and lower forms of life, which have an instinct beyond the ordinary

comprehension, need it; and they find it in the wall papers and colored illustrations printed on the bindings and in books. Where sulphur is used, other species will be attracted, and so on with the various poisons which are used in the arts. The "bed-bug" also finds food in the poisons used, such as arsenic, Paris green, etc. The idea that this insect is found only where uncleanness prevails has long since been rejected, as it is constantly found where absolute cleanliness prevails.

Flies will cling to wall paper, especially in damp weather. This is due to the moisture in the atmosphere causing the poisons in the paper, which flies are primarily after, to become soft enough for them to eat.

GASES; FROM HEAT.—It is accepted as a fact by scientists to-day that the nature and character of life, in the material sense of evolution, has for its base the heat generated by the physical sun, assisted by the moisture of the atmosphere, and the darkened chambers of the earth, which are necessary in the first stages of all life production. Books in a very dry and warm location will be found to be subject to attacks of species of *Thysanura* and *Collembola*, which are naturally attracted by heat; and, as heat rises, the books on the top shelves will be found to be the ones damaged by these insects. They are seldom found where it is damp.

The spring-tails, *Lepidocyrtus americanus*, and the silver-fish, *Lepisma saccharina*, come under this group.

GASES; POISONOUS, ETC., COMBINED.—The tree, from which is made the wood pulp used in the manufacture of paper, has its roots shooting down into the bowels of the earth, and its branches and leaves reaching up into the heavens. The roots are fed by a varied combination of elements, mineral, gaseous, and vegetable, and these elements, taken in by the roots, are by a wonderful system of arteries carried into every portion of the tree, and insects are thus able to get all elements that are necessary for them to sustain life. The pores of the skin are the health holes of the body, and in a sore, unless it is sterilized, life is bound to start, and that first life again is worm life, no matter how carefully the wound is protected on the outside. If a microscope was used, the body would be found to be covered with animated matter. The insects, preying upon animal life, are after the poisons exuded by the blood and skin.

OMNIVOROUS.—Among the insects which can find food in all portions of the books may be mentioned the beetles, *Sitodrepa panicea* and *Tribolium confusum*.

CARNIVOROUS.—The following are some of the forms of life found preying upon insects found in libraries, the centipede, *Scutigera forceps*, pseudoscorpions, *Bryobia pratensis* and *Tryoglyphus longior*. I believe that investigation will show that the two last species are injurious to books.

RESEARCHES.—Some of the statements here made seem radical, but when it is considered how little is known of the life habits of the lower forms of life, on the one hand, and the facts given by the few life histories that are known, on the other, it does not appear to me unreasonable to place this theory before the public. Especially so, as my own experiments are showing results entirely different from anything hitherto published.

It is known that the eggs of the insects under adverse conditions will stay fertile for long periods of time; that the eggs will also stand a very high or low temperature; and, on account of the toughness of their skin or shell, are also able to stand a great deal of handling and pressure without being crushed or broken. At an institution with which I was officially connected for a number of years, a lot of mosquito eggs were received from Cuba. These eggs had been attached to a piece of rough blotting paper, and sent to us through the mails. Upon receiving them, thinking that they had been ruined by the rough handling and pressure that they must have received in transit, the blotting paper was thrown aside and allowed to lay exposed to the dust of the atmosphere and the rays of the sun for many months. One day, in a spirit of fun, some one threw the blotting paper into some water, and, to the surprise of all, in a very short time, the larvæ were swimming around as though nothing had ever happened to them.

All plants, vegetables, trees, etc., have certain combinations of chemical elements which are only found in them, as is known from chemical analyses which have been made of material from them, and each of these have certain forms of life which live upon them, and whenever any of these trees, etc., are used in the manufacture of paper and preparation of leathers, eggs of the different species are most likely to be found incorporated in the material; hibernating, as it were, until the proper conditions through heat or dampness come about, giving life to the germ within, and in a very short time the little worm is enjoying life, although being evolved perhaps, later than nature intended it to be.

Again, wandering insects come into the library, and their instinct



tells them what books contain the particular food or medicine for which they are seeking. These little insects pass through their various states of evolution, with long periods of life, which are unknown to the finite mind of man as to the exactness of the length of their lives, and are always evolving up to a point of superior consciousness. We must give credit to the entomologists for their researches as to the laying of the eggs of the winged insects, that in time, by the active energies of the physical universe, produce life which becomes expressive, by a process of incubation which has been very little considered. These various illustrations are exhibited to express the nature and character of that which has been infectious to the libraries of the world. While many of them will seek for the paste, it is not always that which attracts them. They are also attracted by the mineral and vegetable substances found in books.

DISEASE CARRIERS.—Just as diseases are carried by flies, the seeds of plants by birds and the winds, so are contagious diseases carried to new locations by books and papers. Flies coming from putrid matter, or from a person suffering from a contagious disease, by depositing disease germs on books provide the means, if given the proper conditions, of spreading these diseases to a locality where they were unknown before, not to mention the possibilities of fleas, germs, and bacteria. From my knowledge of the ability of bacteria to attach themselves to paper, I am positive that future research will show that books and papers have been the means of spreading many cases of disease. The question of doing away with bank notes has been agitated for years, on account of the disease germs and bacteria carried on them, absorbed from the unclean hands which handle them. A letter received by me from the United States Bureau of Animal Industry states that, "Several years ago, however, at the request of a Representative in Congress, an examination was made by this bureau of a one-dollar Treasury note with the view of determining the number of organisms thereon. The note used for the investigation was obtained on February 3, 1904, from the U. S. Treasury, having been withdrawn on that date from circulation. It belonged to Series 1890, and hence had been in circulation thirteen years. While the note looked very old and quite soiled, one often receives notes of even worse appearance in ordinary business transactions.

"The note in question was subjected to the ordinary laboratory manipulations for determining the number of micro-organisms upon

it which were capable of vegetation and development, and as a result of this examination it was found that there were 13,518,000 living micro-organisms present on this note. These consisted principally of the organisms popularly known as bacteria and fungi." Uncleanliness is more to blame than the paste in the books for insects found destroying them.

The fleas, *Pulex serraticeps*, and other species, and the *Acarina*, or pseudoscorpions, are also capable of carrying disease germs.

REMEDIES.—As far as the destruction of these insects by poison is concerned, they are practically worthless, because, whenever the poison is used to destroy one insect it will attract other insects that have need for that poison. Uncleanliness of the human family also helps to supply the needs of the bookworm. Men and women do not give the proper consideration to their hands, going from the dining-room into the library, either public or private. Nature, by its process under the great infinite power, has supplied the skin of the human body with scales and pores, and these, acting upon their functional duties, are constantly discarding that which the body in a healthful state does not want. In perspiration, which is moisture, there is thrown from the pores of the skin a combination of mineral and vegetable acids, and this may all be summed up in the word "dirt." This combination, or dirt, contains food for a number of species of insects. When the hands which are soiled are laid on clean paper, some of the matter attached to the hands will be left upon the paper, in this way producing food for insects. We say this, because man from a material stand-point has his grosser body made of matter, and matter in a concrete form is made of the dust of the earth. Cleanliness in the handling of papers, books, and documents will be of more value than all the poisons combined. Let common-sense prevail, make sanitary rules in the home and in the public library an enforced rule, and it will lessen and arrest the rapid growth of the little insects which feed upon our silent friends of so much value to us, besides eliminating the possibilities of contagious diseases. The library of the future will be found to contain laboratories where every one wishing to make use of the books in the collection will first have to thoroughly cleanse his or her hands. This is a subject which should be considered in the near future by the bacteriologist, as well as the entomologist, biologist, and general visitors to the halls of learning.





3 0112 077872569